

Wakaflex®


THE QUICK & EASY FLASHING SOLUTION FOR ANY PART OF THE ROOF




- Ideal for difficult and complex details
- Moldable, flexible and stretches in both directions
- · Chemically seals to itself no mastic or sealants needed
- · Highly resistant to all weather conditions
- Butyl adhesive edges seal to most building materials
- · Paint or stone coat to color match
- · Non-toxic Lead free



THE PREMIER CHOICE FOR ALL ROOF FLASHING NEEDS





After

FEATURE & BENEFITS



Weather Resistant

Two heavy duty layers of Polyisobutylene (PIB) make Wakaflex® a tough, yet flexible flashing material resistant to UV, rain and snow. Its self-welding ability makes Wakaflex® extremely resistant to long term high temperatures, heavy rain and high winds.



Easy Installation Anywhere

S

SAVE

Extremely flexible and stretches easily in both directions. No prefabrication or welding. No adhesives, mortar or mastic needed. Simply cut the material to the size needed, shape and install right on the roof. Use multiple pieces to fabricate complex or large flashing details.



Before

Wakaflex[®] is the lead-free solution to flash all critical areas of the roof. Lead is the most common flashing material used still to this day.

The Occupational Health and Safety
Administration (OSHA) declared that "lead
adversely affects numerous body systems and
causes forms of health impairment and disease
which arise after periods of exposure as short
as days or as long as several years."

Any place lead is used on a tile roof, Wakaflex® works better and more safely.

¹According to U.S Department of Labor - OSHA: Substance Data Sheet for Occupational Exposure to Lead - 1926.62 App A, Section II Health Hazard Data, Part B.

WAKAFLEX® IS TOUGH AND DURABLE



See how easy Wakaflex® is to install in our video at BoralRoof.com.

CERTIFICATIONS / APPROVALS

Miami Dade NOA 20-0916.12

PART NUMBERS

90912 Wakaflex® 11"x 33'- Black
 91216 Wakaflex® 22"x 16.5'- Black
 91983 Wakaflex® 11"x 33'- Terra Cotta
 91894 Wakaflex® 11"x 33'- Brown

SPECIFICATIONS

 Roll size
 11" x 33'
 22"x 16.5'

 Roll weight
 22 lbs/Roll
 27 lbs/Roll

 Rolls per box
 2 Rolls
 2 Rolls

 Boxes per pallet
 21 Boxes
 14 Boxes

ABOUT BORAL ROOFING

Boral Roofing LLC is a subsidiary of Boral USA and is the country's largest premium provider of complete roofing and re-roofing solutions for architects as well as commercial and residential builders. Boral Roofing operates manufacturing plants throughout the U.S.


ABOUT BORAL NORTH AMERICA

Headquartered in Roswell, Georgia, Boral North America is a leader in key construction materials and building products markets with operations across the USA, Canada, and Mexico. In 2017 Boral acquired Headwaters Incorporated, expanding Boral's product offering and manufacturing and distribution footprint across North America. In construction materials, Boral has a national footprint and industry-leading position in the processing and distribution of fly ash – a by-product of coal combustion.

In building products, Boral manufactures and supplies cladding, roof tiles, windows, and other light building products for residential and commercial markets nationally. Boral's manufactured stone veneer includes leading brands Cultured Stone® by Boral®, Boral Versetta Stone®, Eldorado Stone®, Dutch Quality Stone®, and StoneCraft Industries®. Boral's light building products portfolio includes Boral TruExterior® Siding & Trim – a pioneer of the innovative poly-ash category of exterior building products – as well as shutters, gable vents, mounting blocks, and tool systems. In roofing, Boral is a leading manufacturer of clay and concrete roof tiles, and also produces composite polymer and stone-coated metal roof tiles.

Boral also has a 50% share of the Meridian Brick joint venture, a leading clay and concrete brick manufacturer which was formed with Forterra Brick in 2016.

BoralAmerica.com



Corporate Office

Boral Roofing

200 Mansell Court East, Suite 310 Roswell, GA 30076

Western Office

Boral Roofing
7575 Irvine Center Drive, Ste. #100

Irvine, CA 92618

Customer Service 800.669.8453



Download a QR Code reader app for your smartphone, then take a photo to visit our website.

