



Fine Finish Solutions

Graco's Complete Line of Fine Finish Sprayers and Accessories



PROVEN QUALITY. LEADING TECHNOLOGY.



Table of Contents. 1

Welcome. 2

Fine Finishing Solutions Guide 3-4

FinishPro™ HVLP Sprayer Technology . . . 5-6

HVLP EDGE™ Gun 7-8

HVLP Accessories 9-10

Air-Assisted Airless Technologies. . . 11-12

FinishPro 290. 13

AA30 Gun 14

FinishPro 390. 15

FinishPro 395. 16

Air-Assisted Airless Accessories 17

Airless Fine Finishing Solutions 18

G4: Quality | Performance | Warranty | Productivity . . . 19

Graco Warranty. 20

Fine Finish Product Specifications . . . 21-22



“There is no other sprayer like a GRACO”

Welcome to a whole new world of fine finishing possibilities.

Graco manufactures the most extensive professional line of high quality finishing solutions in the market. This informational guide is designed to answer many of your questions about Graco’s professional line of fine finishing equipment.

At Graco, we strive to offer a wide array of the highest quality finishing solutions around the world. From HVLP to air-assisted airless units, Graco offers labor savings and increased production to spray with confidence.

Graco sprayers are designed to exceed the professional painting contractor’s standard for quality and performance. Graco is the name to turn to today and as your business grows.





Graco has the Right Solutions for all your Fine Finish Applications

Graco introduces FinishPro HVLP, FinishPro Air-Assisted Airless and Fine Finish Airless SwitchTips™ as your *total solution* for fine finishing applications. Every Graco finishing solution exceeds comparable competitive solutions in productivity and quality of finish. Each Graco product offers a unique solution for your various fine finish applications.

GRACO FINE FINISHING SOLUTIONS GUIDE

KEY MATERIALS

- Stains | Epoxies | Lacquers
- Enamels | Urethanes
- Varnishes | Latex
- Oil and Wall Paints
- Dyes | Inks

PROJECTS

- Doors | Trim | Staircases
- Small Parts | Fences
- Decks | Garage Doors
- Walls | Ceilings | Cabinets
- Shutters | Tubs | Mantels
- Lighting Fixtures | Railings

Fine Finish Solutions

FINISH QUALITY

HVLP

Air-Assisted Airless

Airless with Fine Finish Tips

PRODUCTION RATE

HVLP

Air-Assisted Airless

Airless with Fine Finish Tips

TECHNOLOGY

FINISH QUALITY

SPRAY PATTERN SIZE

PRODUCTION RATE

TRANSFER EFFICIENCY

[% OF MATERIAL SPRAYED THAT ADHERES TO THE SURFACE VS. IN THE AIR]

TYPICAL APPLICATIONS

FinishPro HVLP Sprayers

High Volume of Air with Low Volume of Fluid Results in Finest Quality Finish

Automotive Quality

1/8 in – 8 in Fan Width
[0.3 cm – 20 cm]

Up to 18 oz/min

85 – 95%

Small, Detailed Work
Repaints, Railings, Shutters, Mantels, Tubs, Trim, Staircases, Cabinets



FinishPro Air-Assisted Airless Sprayers

Medium to High-Pressure Fluid Combined with Pressurized Air Results in Fine Quality Finish with High Production Rate

Furniture/Cabinet Quality

2 in – 12 in Fan Width
[4 cm – 30 cm]

Up to 30 oz/min

70 – 80%

Medium – Large Surfaces
Doors, Trim, Cabinets, Molding, Garage Doors



Airless with Fine Finish SwitchTips

High-Pressure Fluid through Dual Orifice Tip Results in Quality Finish at the Highest Production Rate

Trim/Door Quality

2 in – 12 in Fan Width
[4 cm – 30 cm]

Up to 30 oz/min

55 – 65%

Large Surfaces
Decks, Wood Siding, Walls, Ceilings, Garage Doors



NEW!

Innovative HVLP EDGE Gun

Having the Right Gun can give you the Competitive EDGE in today's market



Quick Release Needles [patent pending]

- ▶ Change out needles from the front of the gun with just a click
- ▶ Easy to change, easy to clean with no tools needed



1 Remove front air cap and nozzle



2 Slide trigger lever to release needle



3 Pull needle out

Maximize your spraying performance with the new, innovative **HVLP EDGE Gun**. With cutting **edge** technology such as streamlined, intuitive gun controls, Quick Release fluid set, and optimized air pressure and air flow, the new HVLP EDGE Gun will help you achieve the highest quality finish available in fine finish spraying.

Integrated Flow Control [patent pending]

- ▶ Combines material and air flow into one simple control
- ▶ Optimized to spray the majority of fine finish applications
- ▶ Quick adjustment with 360° rotation and indicator for repeatable spray setting



Artisan Air Valve Accessory [optional]

- ▶ Provides the ultimate air control for specialty, multi-spec applications
- ▶ Plugs directly into back of EDGE Gun

Adjustable Air Cap

- ▶ 3-position rotation to change spray pattern
- ▶ Conveniently located at the front of the gun



ROUND PATTERN
1/8 in – 4 in [0.3 cm – 10 cm] Diameter



HORIZONTAL FAN
1 in – 8 in [2.5 cm – 20 cm] Width



VERTICAL FAN
1 in – 8 in [2.5 cm – 20 cm] Width

EasyGlide™ 2-Finger Trigger

- ▶ 75% lighter trigger pull than the competition
- ▶ 2-finger trigger design gives ultimate control while spraying

Ergonomic Gun Handle


- ▶ Handle is lightweight and comfortable while spraying
- ▶ Form-fitted handle stays cool to the touch for extended use

Streamlined Gun Body

- ▶ Designed to improve overall air flow and spray performance out the gun

Exclusive Quick Clean Check Valve

- ▶ Allows more air pressure into the material cup to spray heavier material
- ▶ Easily clean and reuse versus replace
- ▶ Located by gun to reduce clogged valves due to paint contamination



Adjustable Siphon Tube

- ▶ Adjusts easily for up, down or sideways spraying



HVLP EDGE Gun

DESCRIPTION	PART #
HVLP EDGE Gun Comes complete with: • 1 qt [1 L] Cup • #3 Quick Release Fluid Set	256855
HVLP EDGE Gun with Artisan Control Comes complete with: • 1 qt [1 L] Cup • #3 Quick Release Fluid Set	256856
HVLP EDGE Gun Comes complete with: • #3 Quick Release Fluid Set	257092

"You can *instantly* feel the pressure increase at the gun. I don't have to thin the products as much so I make less spray passes, saving time on my jobs."



Alan Jedlicki
J & J Painting & Refinishing Inc.

Accessories for FinishPro HVLP

PROCOMP PACK – 256850

Includes: Compressor, 1 qt [0.9 L] Remote Cup, 5 ft [1.5 m] Material & Air Hose and Shoulder Strap

- ▶ Powerful compressor pack attaches to any FinishPro HVLP sprayer
- ▶ Ability to separate the gun from the material cup for spraying in any direction
- ▶ Simple installation, no tools required

ARTISAN AIR VALVE KIT – 256927

- ▶ Provides the ultimate air control for specialty, multi-spec applications
- ▶ Plugs directly into back of EDGE Gun



HVLP EDGE GUN EXTENSION, 12 in [3.7 m] – 256952

- ▶ Attaches directly to the HVLP EDGE Gun for extended reach and spraying hard-to-reach areas
- ▶ Ability to spray in any direction – 360° rotation



QUICK RELEASE FLUID SETS

- ▶ For HVLP EDGE Gun
- ▶ Change out needles from the front of the gun with just a click

Needle: Size: Material:

256946	#2	.032 in [0.8 mm]	Ultra fine finish with inks, dyes, non-wiping stains, automotive finishes
256947	#3	.051 in [1.3 mm]	Fine finish lacquers, stains, enamels, epoxies, urethane, varnish
256948	#4	.071 in [1.8 mm]	High output with enamels, epoxies, urethane, varnish, primers
256949	#5	.087 in [2.2 mm]	Higher output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec
256950	#6	.098 in [2.5 mm]	Highest output with latex, multi-spec, oil wall paints

HVLP CUPS, POTS & LINERS

244136	1/2 Quart [0.47 L] Cup Over Kit
244130	1 Quart [0.9 L] Cup with Lid Assembly
244131	1 Quart [0.9 L] Cup with Storage Lid
257098	1 Quart [0.9 L] Remote Cup with Lid and 5 ft [1.5 m] Material & Air Hose
240266	1 Quart [0.9 L] Universal Cup Liners [40-pack]
287819	2 Quart [1.9 L] Cup with Lid and 5 ft [1.5 m] Material & Air Hose
112491	2 Quart [1.9 L] Cup Liners [40-pack]



FILTERS & STRAINERS

240267	Cone Material Strainers [3-pack]
240273	Automotive Air Filter
240274	Foam Pre-Filters used with Automotive Filter [5-pack]

Accessories for FinishPro HVLP

NEW SUPER-FLEX HOSES & FITTINGS

- ▶ Over 15% lighter weight and increased hose flexibility
- ▶ Connect hoses together for a maximum of 60 ft [18.2 m] extended length

257161	Super-Flex Whip Air Hose, 4 ft [1.2 m]
257160	Super-Flex Air Hose, 15 ft [4.6 m]
257159	Super-Flex Air Hose, 30 ft [9 m]
241423	Super-Flex Material & Air Hose Assembly with Quick Connects, 30 ft [9 m] Use with Remote Gun [not included]
240476	Material Hose, 30 ft [9 m] x 3/8 in [4.8 mm] – Use with Remote Gun [not included]
240065	Quick Disconnect Ball Valve [Air Hose to Gun]
240282	Quick Disconnect Fitting [Air Hose to Sprayer]
240069	2 Gun Y Connector [f/m/m]



MAINTENANCE & REPAIR KITS

256960	HVLP EDGE Gun Repair Kit
256961	HVLP EDGE Gun Maintenance Kit
256951	HVLP EDGE Gun Air Cap
256956	Quick Clean Check Valve [3-pack]
256953	Cleaning Brush Kit
256954	Deluxe Cleaning Kit – <i>Includes:</i> Detailed Brushes and Picks
240265	1 Quart [0.9 L] Cup Gaskets [5-pack]
M71425	2 Quart [1.9 L] Remote Cup Gaskets [5-pack]
256959	Remote Cup Shoulder Strap
M70702	#4 Ford Viscosity Cup



Air-Assisted Airless Key Technologies...

Only on a Graco FinishPro

Introducing the latest high-performance solution to fine finish spraying – **FinishPro Air-Assisted Airless Sprayers**. Only Graco delivers industry-leading features along with proven quality and unmatched performance in a portable, self-contained, air-assisted airless spraying system.

FinishPro Air-Assisted Airless Spraying

The Product...

Material is delivered to the gun at lower pressure than traditional airless [500 - 1500 psi vs. 1500 - 3000 psi] and is partially atomized through a small tip. Full atomization is achieved by adding a small amount of air [5 - 35 psi] to the edges of the spray fan – resulting in a softer pattern, more control, higher transfer efficiency, and less overspray.

The Benefits...

- ▶ Fine finish quality that rivals HVLP
- ▶ High production speed of airless
- ▶ Ability to spray the widest range of fine finish materials – without reducing

Graco's Exclusive Air Cap Design

The Product...

This revolutionary air cap has been optimized for use with reversible spray tips. The air outlets are positioned at precise locations to provide an optimal finish.

The Benefits...

- ▶ Delivers a softer, more consistent spray fan from start to finish
- ▶ Allows standard RAC X tips to be used

RAC X Fine Finish SwitchTips

The Product...

Unique pre-orifice design produces a finer atomization at lower pressures, resulting in a high quality finish.

The Benefits...

- ▶ RAC tips allow for easy clearing of clogged tips – no need to disassemble the gun
- ▶ Switching tips is simple, allowing you to quickly move from a 2 inch to a 12 inch pattern – ideal when moving from trim to doors



Premium Guns

The Product...

Graco's G40 gun is the premier Air-Assisted Airless gun in the industry and comes standard with the FinishPro 390 and FinishPro 395. From its ultra-light trigger pull to the ergonomic fit, it truly is a gun by which all other guns are measured. New for 2009, the AA30 Gun creates the same quality finish that you get with the G40 but at a more affordable price. This gun comes standard with the FinishPro 290.

The Benefits...

- ▶ Lightweight, compact design is ideal for getting into tight areas
- ▶ High pressure swivel for improved operator control and comfort
- ▶ Air adjustment valve conveniently located right at the gun
- ▶ Gun filter for extended spraying and a premier finish

Graco's Proven Piston Pump

The Product...

The pump is the most important component of the sprayer and is where Graco's expertise shows. All FinishPro Air-Assisted Airless sprayers come with piston pumps for unmatched performance. The FinishPro 390 and FinishPro 395 come with Endurance™ Pumps which have V-Max Blue Packings and ChromeX Rods – for extended life.

The Benefits...

- ▶ Allows for consistent priming and pumping of even the heaviest materials – without thinning
- ▶ QuikAccess™ intake valve makes cleaning or clearing debris easy
- ▶ Proven design and rugged construction




High Output, On-Board Air Compressor

The Product...

All of Graco's FinishPro Air-Assisted Airless sprayers come complete with on-board air compressors. All that's required to start spraying is an electrical outlet and your material, making this an ideal sprayer for on-site fine finish jobs.

The Benefits...

- ▶ Customized design provides high output in a compact design
- ▶ Delivers 3.2 cfm at 35 psi – enough air to break up the heaviest materials
- ▶ Exclusive Pressure Unloader results in quieter operation
- ▶ Cooling coil reduces air temperature – extending the life of critical components and providing safer operator handling



NEW!

FinishPro 290

NEW!

AA30 Gun

AA30 Gun

DESCRIPTION: Air-Assisted Airless Gun
PART #: 257096

Comes complete with:
• RAC X - FFT210 SwitchTip
• 100 Mesh Gun Filter
• Air Adjustment Valve

“Finally, a fine finish sprayer that has the power to pump my materials. This machine is quality and produces quality.”



Bob Rogers
Laguna Niguel, CA

FinishPro 290

DESCRIPTION: Air-Assisted Airless Sprayer
PART NUMBER: 256842
MAX TIP SIZE: .017
MAX GPM/LPM: 0.34/1.3
MAX PSI/BAR: 2600/180
MOTOR HP: 1/2 HP DC
WEIGHT LBS/KG: 68/31

Comes complete with:
• AA30 Air-Assisted Airless Gun
• 3/16 in [4.8 mm] x 25 ft [7.5 m] BlueMax II™ Fluid Hose
• 3/8 in [9.5 mm] x 25 ft [7.5 m] Air Hose
• RAC X - FFT210 SwitchTip
• 100 Mesh Gun Filter

Introducing the newest air-assisted airless fine finish sprayer – **FinishPro 290**. This sprayer is ideal for contractors who need a high quality finish at a higher production rate than HVLP. Spray light to heavy material right out of the pail!

Quiet, On-Board Air Compressor

- ▶ Graco designed and manufactured
- ▶ Compact size and performance are optimized for air-assisted airless
- ▶ Produces 3.2 cfm at 30 psi

Simple, Convenient Controls

- ▶ Single switch turns on the entire system – sprayer and compressor

Lightweight, Lo-Boy Cart Design

- ▶ Retractable handle allows for easy movement and compact storage
- ▶ Durable, low profile cart is light enough for one person handling



Graco's newest air-assisted airless gun, the **AA30** delivers a quality fine finish to the painting contractor.

Large Contractor-sized Filter

- ▶ Fine mesh filter results in a superior finish
- ▶ Large size for extended spraying

Proven Piston Pump Design

- ▶ Consistently prime and pump even the heaviest finishing materials – without thinning
- ▶ QuikAccess™ intake valve makes clearing debris quick and easy

RAC X SwitchTips

- ▶ Graco's fine finish tips provide a superior finish
- ▶ Reversible tips allow for easy clearing of clogged tips – no need to disassemble the gun
- ▶ Switching tips is simple – ideal when moving from trim to doors

Optimized Air Cap

- ▶ Utilizes 8 air passages to deliver air closer to the tip – resulting in a softer, more consistent pattern from start to finish

Quick Air Shut Off Valve


- ▶ Allows user to quickly and easily shut off the air to the air cap while retaining the air valve setting

Air Adjustment Valve

- ▶ Conveniently located right at the gun

High Pressure Fluid Swivel

- ▶ Exclusive design swivels easily under pressure



FinishPro 390

FinishPro 395

FinishPro 390

DESCRIPTION: Air-Assisted Airless and Airless Sprayer

PART NUMBER: 249690

MAX TIP SIZE: .020

MAX GPM/LPM: 0.43/1.6

MAX PSI/BAR: 2600/180 Air-Assisted
2600/180 Airless

MOTOR HP: 5/8 HP DC

WEIGHT LBS/KG: 78/35

Comes complete with:

- G40 Gun
- 3/16 in [4.8 mm] x 50 ft [15 m] BlueMax II Fluid Hose
- 3/8 in [9.5 mm] x 50 ft [15 m] Air Hose
- RAC X - FFT210, LTX517 SwitchTip
- 100 Mesh Easy Out™ Manifold Filter
- 100 Mesh Gun Filter

The **FinishPro 390** and **FinishPro 395** units are Graco's premier solutions to fine finishing. The FinishPro 390 offers a high-quality fine finish at a high production rate while the FinishPro 395 handles the most challenging materials.

Lightweight, Compact Design

- ▶ Welded, durable, chromed frame is light enough for one person to handle
- ▶ Retractable handle allows for easy movement and compact storage
- ▶ Hose wrap holds up to 100 ft [30 m] of fluid and air hose

Single Selector Switch

- ▶ Simple, color-coded labels easily identify air-assisted or airless modes
- ▶ Easy to understand for users new to air-assisted airless technology



G40 Gun

DESCRIPTION

Air-Assisted Airless Gun

Comes complete with:

- RAC X - FFT210 SwitchTip
- 100 Mesh Gun Filter

PART #

288513

RAC X SwitchTips

- ▶ Graco's fine finish tips provide a superior finish
- ▶ Reversible tips allow for easy clearing of clogged tips – no need to disassemble the gun
- ▶ Switching tips is simple – ideal when moving from trim to doors

Optimized Air Cap

- ▶ Utilizes 8 air passages to deliver air closer to the tip – resulting in a softer, more consistent pattern from start to finish



Air Adjustment Valve

- ▶ Conveniently located right at the gun

High Pressure Fluid Swivel

- ▶ Exclusive design swivels easily under pressure



SmartControl™ 2.0 with Digital Display [FinishPro 395 unit only]

- ▶ Microprocessor control delivers a consistent spray pattern without pressure fluctuations at all pressures
- ▶ Tight dead band and fast response when spraying
- ▶ Digital display accurately displays spraying pressure

Customized, Long-life Air Compressor

- ▶ Quiet twin cylinder design
- ▶ Produces 3.2 cfm at 35 psi



True 2-in-1 Capability

- ▶ In the air-assisted airless mode the on-board air compressor assists the pump in producing a high quality fine finish at lower pressures
- ▶ Able to support up to a .021 tip in airless mode

FinishPro 395

DESCRIPTION: Air-Assisted Airless and Airless Sprayer

PART NUMBER: 249691

MAX TIP SIZE: .021

MAX GPM/LPM: 0.47/1.8

MAX PSI/BAR: 2800/193 Air-Assisted
3300/227 Airless

MOTOR HP: 7/8 HP TEFC DC

WEIGHT LBS/KG: 96/43

Comes complete with:

- G40 Gun
- 3/16 in [4.8 mm] x 50 ft [15 m] BlueMax II Fluid Hose
- 3/8 in [9.5 mm] x 50 ft [15 m] Air Hose
- RAC X - FFT210, LTX517 SwitchTip
- 100 Mesh Easy Out Manifold Filter
- 100 Mesh Gun Filter

Proven Endurance Pump

- ▶ Piston pump allows for consistent priming and pumping of even the heaviest materials
- ▶ Long-life V-Max Blue Packings, Chromex Rod and Stainless Steel Cylinder
- ▶ Proven design and rugged construction

Bonded Fluid/Air Hose

- ▶ 3/16 in [4.8 mm] x 50 ft [15 m] of BlueMax II fluid hose bonded with 3/8 in [9.5 mm] air hose – eliminates managing two separate hoses

Accessories for Air-Assisted Airless

FLUID & AIR HOSES

- 256976 25 ft [7.5 m] Fluid & Air Hose – FinishPro 290
 ▶ BlueMax II 3/16 in [4.8 mm] x 25 ft [7.5 m] Fluid Hose,
 3/8 in [9.5 mm] x 25 ft [7.5 m] Air Hose
- 288621 25 ft [7.5 m] Bonded Fluid & Air Hose – FinishPro 390/395
 ▶ BlueMax II 3/16 in [4.8 mm] x 25 ft [7.5 m] Fluid Hose,
 3/8 in [9.5 mm] x 25 ft [7.5 m] Air Hose
- 288620 50 ft [15 m] Bonded Fluid & Air Hose – FinishPro 390/395
 ▶ BlueMax II 3/16 in [4.8 mm] x 50 ft [15 m] Fluid Hose,
 3/8 in [9.5 mm] x 50 ft [15 m] Air Hose

FILTERS & STRAINERS

- 218131 AA30 Gun Filter, Blue, 50 Mesh
- 218133 AA30 Gun Filter, Orange, 100 Mesh
- 256975 AA30 Gun Filter, Red, 150 Mesh
- 224454 G40 Gun Filter, 60 Mesh [5-pack]
- 224453 G40 Gun Filter, 100 Mesh [5-pack]
- 257094 Manifold Filter, 40 Mesh – FinishPro 290
- 246384 Easy Out Manifold Filter, Black 60 Mesh – FinishPro 390/395
- 246382 Easy Out Manifold Filter, Blue 100 Mesh – FinishPro 390/395
- 246383 Easy Out Manifold Filter, Red 200 Mesh – FinishPro 390/395
- 246385 Pump Inlet Strainer – FinishPro 290/390/395

MAINTENANCE & REPAIR KITS

- 24B250 Hopper Assembly – FinishPro 290
- 288526 Hopper Assembly – FinishPro 390/395
 ▶ 1.5 gal [5.7 L] molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast.
- 288514 Flat Tip Conversion Kit – G40 Gun
- 289108 Severe Solvents Suction Set – Use on FinishPro 395
- 288839 AA30/G40 RAC X Air Cap
- 289535 Water Separator Kit – Use on FinishPro 390/395 Air Line

FINE FINISH RAC X SWITCHTIPS [FFTxxx]



		ORIFICE SIZE – INCHES					
		IN	[MM]	.008	.010	.012	.014
FAN WIDTH	4-6	[102-152]	208	210	212	214	
	6-8	[152-203]	308	310	312	314	
	8-10	[203-254]		410	412	414	
	10-12	[254-305]		510	512	514	
	12-14	[305-356]			612	614	
Flow Rate [gpm]				.07	.11	.15	.21
Flow Rate [lpm]				.26	.41	.59	.80

Water at 2000 psi [138 bar, 13.8 MPa] – paints with a higher viscosity will decrease the flow rate.
 Example: For a tip with a .010 orifice and a 8 in [203 mm] pattern, order SwitchTip FFT410.

Airless Fine Finishing Solutions

RAC X Fine Finish SwitchTips can be used to convert your standard airless paint sprayer into a high production fine finish spraying system. Graco's Fine Finish SwitchTips feature an innovative pre-orifice design that produces a finer, softer fan pattern at lower spraying pressures, resulting in a high quality finish – *faster than ever!*

RAC X Fine Finish SwitchTips are available individually or as part of a convenient Fine Finish Gun Hose and Tip Kit, that includes everything you need to put your airless sprayer to work on your next fine finish project.



Shown: Contractor Fine Finish Gun Hose Kit
 Part No: 288501

RAC X Fine Finish SwitchTip [Green Handle]

- ▶ Longest lasting fan pattern making it the best fine finishing tip on the market
- ▶ Pre-orifice improves overall finish quality
- ▶ Produces finer atomization and soft edges for overlapping spray
- ▶ Can spray at lower pressure reducing overspray, prep and clean-up time
- ▶ Switching tips is simple, allowing you to quickly move from a 2 inch to a 12 inch pattern – ideal when moving from trim to doors

Fine Finish Gun Hose Kits

- ▶ Includes specialized accessories that are designed for fine finishing applications with light viscosity, water and solvent-based materials
- ▶ Contractor Gun has built-in swivel for easy gun movement in tight spaces
- ▶ Silver Plus Gun includes light viscosity needle kit that has a smaller fluid passage ideal when spraying
- ▶ Additional RAC X Fine Finish SwitchTip, fine finish filter and solvent gaskets are included to keep you productive on the job
- ▶ Small diameter BlueMax II airless hose is lightweight and provides ultimate control and flexibility at the gun
- ▶ 10 in [25 cm] tip extension provides the ability to spray in those hard-to-reach areas

SwitchTips

- | DESCRIPTION | PART # |
|-----------------------------|--------|
| RAC X Fine Finish SwitchTip | FFTxxx |
- Comes complete with:
 • Solvent Tip Gasket

Gun Hose Kits

- | DESCRIPTION | PART # |
|-------------------------------------|--------|
| Contractor Fine Finish Gun Hose Kit | 288501 |

- Comes complete with:
 • 3/16 in [4.8 mm] x 25 ft [7.5 m] BlueMax II Hose
 • 10 in [25 cm] Tip Extension
 • FFT210, FFT312 RAC X SwitchTip
 • [2] 100 Mesh Gun Filters
 • [5] Solvent Seals

- | | |
|--------------------------------------|--------|
| Silver Plus Fine Finish Gun Hose Kit | 287823 |
|--------------------------------------|--------|

- Comes complete with:
 • 3/16 in [4.8 mm] x 25 ft [7.5 m] BlueMax II Hose
 • 10 in [25 cm] Tip Extension
 • FFT210, FFT312 RAC X SwitchTip
 • Gun Filter Housing
 • [2] 100 Mesh Gun Filters
 • [5] Solvent Seals



All Airless Fine Finishing SwitchTips or Gun Hose Kits can be used with any Graco Airless Sprayer.

The **G4** Difference... We Build It. We Back It. *Period.*



QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Only Graco delivers the industry's first choice for fine finish sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco electric sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

Sprayers so reliable you may never need to use the warranty!

UNMATCHED PRODUCTIVITY

Exclusive Endurance Pumps* deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program* eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.



WARRANTY

We stand behind every piece of equipment we manufacture with one of the industry's strongest warranties. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS

LIFETIME ELECTRIC MOTOR WARRANTY*

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVE TRAIN WARRANTY*

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

3-YEAR WARRANTY

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*Available on FinishPro 390 and FinishPro 395.

*FinishPro 390 and FinishPro 395 only. Does not include air compressor or turbine motors.

Fine Finish Product Specifications



Sprayer:	HVLVP 7.0	HVLVP 9.0	HVLVP 9.5
Part Number:	256847	256848	256849
Pressure Rating:	7.0 psi [0.48 bar]	9.0 psi [0.62 bar]	9.5 psi [0.70 bar]
TurboForce Turbine:	3-Stage	4-Stage	5-Stage
Gun:	HVLVP EDGE	HVLVP EDGE	HVLVP EDGE
Cup:	1 qt [1 L]	1 qt [1 L]	1 qt [1 L]
Quick Release Fluid Set:	#3 [.051 in, 1.3 mm]	#3 [.051 in, 1.3 mm] #4 [.071 in, 1.8 mm]	#2 [.032 in, 0.8 mm] #3 [.051 in, 1.3 mm] #4 [.071 in, 1.8 mm]
Hose:	30 ft [9 m] Super-Flex Air Hose	30 ft [9 m] Super-Flex Air Hose	30 ft [9 m] Super-Flex Air Hose with 4 ft [1.2] Whip Hose
Max Hose:	60 ft [18 m]	60 ft [18 m]	60 ft [18 m]
Air Ball Valve Included:	No	Yes	Yes
Artisan Air Valve Kit Included:	No	No	Yes
Filters:	Foam Pre-Filter Automotive Main Filter	Foam Pre-Filter Automotive Main Filter	Foam Pre-Filter Automotive Main Filter
Sprayer Dimensions with Coiled Hose Wrap [W x L x H]:	16.35 in x 23.8 in x 15.2 in [41.5 cm x 60.5 cm x 38.6 cm]	16.35 in x 23.8 in x 15.2 in [41.5 cm x 60.5 cm x 38.6 cm]	16.35 in x 23.8 in x 15.2 in [41.5 cm x 60.5 cm x 38.6 cm]
Weight:	28 lbs/12.7 kg	29 lbs/13.2 kg	30 lbs/13.6 kg
Wear Parts:	Gun Maintenance Kit – Part No. 256961 Gun Repair Kit – Part No. 256960	Gun Maintenance Kit – Part No. 256961 Gun Repair Kit – Part No. 256960	Gun Maintenance Kit – Part No. 256961 Gun Repair Kit – Part No. 256960
Manuals:	Operation – Part No. 313406 Gun – Part No. 313317	Operation – Part No. 313406 Gun – Part No. 313317	Operation – Part No. 313406 Gun – Part No. 313317



Sprayer:	FinishPro 290	FinishPro 390	FinishPro 395
Part Number:	256842	249690	249691
Max Tip:	.017	.020	.021
Max psi/bar:	Air-Assisted 2600/180	Air-Assisted 2600/180 Airless 2600/180	Air-Assisted 2800/193 Airless 3300/227
Max gpm/lpm:	.34/1.3	.43/1.6	.47/1.8
Pump Motor hp:	1/2 hp DC	5/8 hp DC	7/8 hp TEFC DC
Compressor Motor hp:	5/8 hp Induction	1 hp AC	1 hp AC
Compressor Air Output:	3.2 cfm at 35 psi [82 lpm]	3.2 cfm at 35 psi [82 lpm]	3.2 cfm at 35 psi [82 lpm]
Inlet Strainer:	Part No. 246385	Part No. 246385	Part No. 246385
Pump Filter:	N/A	100 mesh Easy Out	100 mesh Easy Out
Gun:	AA30 Air-Assisted Airless	G40 Air-Assisted Airless	G40 Air-Assisted Airless
Fluid Hose:	3/16 in x 25 ft [4.8 mm x 7.5 m] BlueMax II 3300 psi [227 bar]	3/16 in x 50 ft [4.8 mm x 15 m] BlueMax II 3300 psi [227 bar]	3/16 in x 50 ft [4.8 mm x 15 m] BlueMax II 3300 psi [227 bar]
Air Hose:	3/8 in x 25 ft [9.5 mm x 7.6 m]	3/8 in x 50 ft [9.5 mm x 15 m]	3/8 in x 50 ft [9.5 mm x 15 m]
Tips:	RAC X FFT210	RAC X FFT210 LTX517	RAC X FFT210 LTX517
Sprayer Dimensions [W x L x H]:	Lo-Boy – 21 in x 27 in x 28 in [53 cm x 68 cm x 72 cm]	Lo-Boy – 22 in x 28 in x 25 in [56 cm x 71 cm x 80 cm]	Hi-Boy – 23 in x 28 in x 32 in [58 cm x 71 cm x 64 cm]
Weight:	68 lbs/31 kg	78 lbs/35 kg	96 lbs/43 kg
Wear Parts:	Repack Kit [Packings and Rod] – Part No. 256974	Packing Kit – Part No. 244194 Rod – Part No. 249125 Cylinder – Part No. 243176	Packing Kit – Part No. 244194 Rod – Part No. 249125 Cylinder – Part No. 243176
Complete Pump Lower	Part No. 256972	Part No. 246428	Part No. 246428
Manuals:	Operation and Repair – Part No. 313316 Gun – Part No. 313347	Operation – Part No. 311905 Repair – Part No. 311911 Pump – Part No. 309250 Gun – Part No. 311937	Operation – Part No. 311905 Repair – Part No. 311911 Pump – Part No. 309250 Gun – Part No. 311937



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd
Suite 17 2 Enterprise Drive
Bundoora Victoria 3083
Australia
Tel: 61 3 9467 8558
Fax: 61 3 9467 8559

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Room 118 1st Floor
No.2 Xin Yuan Building
No.509 Cao Bao Road
Shanghai, P.R. China 200233
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 103, Level 4, Augusta Point
Golf Course Road
Gurgaon, Haryana, India 122001
Tel: +91 124 435 4208
Fax: +91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Choheung Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-Si, Gyunggi-Do,
Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955